

Алматы (7273)495-231
 Ангарск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://itec.nt-rt.ru> || ica@nt-rt.ru

©

ALL STAINLESS STEEL PRESSURE GAUGE

P604



FEATURES

- All SS measuring system
- Socket-case, direct welded
- Threaded / Flanged connection
- Over-pressure safety up to 10 times FS max. 40 bar

APPLICATION

- Liquid & gaseous mediums
- Corrosive environments
- Oil & Gas applications
- Chemical & Petrochemical
- Food & Beverages

REFERENCE



EN 837-3

II 2 GD c

STANDARD PARAMETERS

Accuracy	: CL 1.6
Ambient temperature	: -20...+60°C / -40...+60°C with silicon oil dampening
Service temperature	: 100°C max.
Pressure limits	: Over pressure up to 1.3 FS value
	: Steady pressure up to FS value
	: Fluctuating pressure up to 90% of FS value
Weld joint	: TIG argon arc welding

MATERIAL OF CONSTRUCTION

Sensing element	: Diaphragm
Case & Ring material	: AISI 304 SS (Bayonet type)
Diaphragm	: ≤ 16 bar - AISI 316L SS, > 16 bar Inconel 718
Chamber	: AISI 316 SS (lower and upper diaphragm housing)
Shank	: AISI 316L SS
Movement mechanism	: AISI 304 SS
Chamber sealing gaskets	: FPM / FKM
Dial	: Aluminum, black graduation on white background
Pointer	: Micro-adjustable, aluminum, black powder coated
Gaskets, Blow off disc & filling plug	: NBR
Window	: Shatterproof safety glass

STANDARD SPECIFICATIONS

Dial size	: DN100 / DN160
Range	: 0...10 to 0...16 mbar (flange Ø 174 mm)
	: 0... 25 to 0...250 mbar (flange Ø 150 mm)
	: 0...0.4 to 0...40 bar (flange Ø 100 mm)
Mounting pattern	: Direct, Bottom connection
Process connection	: 1/2" NPT (M) or 1/2" BSP (M)
Ingress protection	: - EN 60529 / IEC 529
Execution	: Dry

STANDARD SPECIFICATIONS : DAMPENING LIQUID FILLED, GLYCERIN


Window	: Shatterproof safety glass
Dampening liquid	: Glycerin [Service temperature up to 65°C]

TEMPERATURE EFFECT

When temperature of the measuring system deviates from reference temperature (+20°C) max error ±0.8% / 10K of true scale value.

DIMENSIONAL DRAWING

Type B0



All dimensions are in mm.

Range	DN	d	a	b	D2	t	h±2	y	Weight (Kg)
mbar	100	174	17	52	100	½" BSP or ½" NPT	130	50	2.6
0/10 to 0/16	160		17	52	150	½" BSP or ½" NPT	150	50	3.2
mbar	100	150	17	52	100	½" BSP or ½" NPT	130	55	2.6
0/25 to 0/250	160		17	52	150	½" BSP or ½" NPT	155	55	3.2
bar	100	98	17	52	100	½" BSP or ½" NPT	130	55	1.8
0/0.4 to 0/40	160		17	52	150	½" BSP or ½" NPT	155	55	2.2

ELECTRIC CONTACT DETAILS				
Switch type	Contacts	Action	Rating	Code
Normally closed (1NC)	Single	Break contact	230VAC/1A; 48VDC/0.5A	CD1
Normally open (1NO)	Single	Make contact	230VAC/1A; 48VDC/0.5A	CD2
Normally closed (2NC)	Double	Break contact	230VAC/1A; 48VDC/0.5A	CD3
Normally open (2NO)	Double	Make contact	230VAC/1A; 48VDC/0.5A	CD4
Normally closed + Normally open (1NC+1NO)	Double	Break contact + Make contact	230VAC/1A; 48VDC/0.5A	CD5
Normally open + Normally closed (1NO+1NC)	Double	Make contact + Brake contact	230VAC/1A; 48VDC/0.5A	CD6
SPDT	Single		230VAC/1A; 48VDC/0.5A	CD7
DPDT	Double		230VAC/1A; 48VDC/0.5A	CD8
Normally closed (1NC)	Single	Break contact	220VAC/0.4A	CI1
Normally open (1NO)	Single	Make contact	220VAC/0.4A	CI2
Normally closed (2NC)	Double	Break contact	220VAC/0.4A	CI3
Normally open (2NO)	Double	Make contact	220VAC/0.4A	CI4
Normally closed + Normally open (1NC+1NO)	Double	Break contact + Make contact	220VAC/0.4A	CI5
Normally open + Normally closed (1NO+1NC)	Double	Make contact + Brake contact	220VAC/0.4A	CI6

NOTES

- Codes starts with "CD" denomination are magnetic contacts and "CI" are Inductive contacts.
- Inductive contacts are ATEX approved.

ORDERING CODES

1. DIAL SIZE

04 100 mm / 4" 06 160 mm / 6"

2. RANGE

XXX Refer "Range Table"

3. MOUNTING PATTERN

B0 Direct, Bottom connection

4. PROCESS CONNECTION

12B 1/4" BSP (M) 12N 1/4" NPT (M)
13B 3/8" BSP (M) 14B 1/2" BSP (M)
14M M20 X 1.5 mm (M) 14N 1/2" NPT (M)
A31 Flange as per ANSI B 16.5
A43 Flange as per EN standard

5. INGRESS PROTECTION

ER IP 65

6. EXECUTION

EA Dry
EB Dry but fillable, glycerine
EC Dry but fillable, silicon oil²
EG Dampening liquid filled, glycerine
EH Dampening liquid filled, silicon oil²

7. SWITCH CATEGORY

RS Precision contacts
RT ATEX / CE approved contacts

8. ELECTRIC CONTACT

CD1 Break contact (1NC)
CD2 Make contact (1NO)
CD3 2 x Break contact (2NC)
CD4 2 x Make contact (2NO)
CD5 1 Break + 1 Make (1NC+1NO)
CD6 1 Make + 1 Break (1NO+1NC)
CD7 SPDT
CD8 DPDT
CI1 Break contact (1NC)
CI2 Make contact (1NO)
CI3 2 x Break contact (2NC)
CI4 2 x Make contact (2NO)
CI5 1 Break + 1 Make (1NC+1NO)
CI6 1 Make + 1 Break (1NO+1NC)
CI9 Booster relay for current up to 5A

7. OTHER OPTIONS

BA Case & Ring in AISI 316 SS (B0)
EY Vacuum safe up to -1 bar
GL AISI 316 SS movement
OQ Over-pressure up to 5 times of FS⁴
OR Over-pressure up to 10 times of FS⁴
PC PTFE lining / coating on wetted parts
PK Hastelloy lining / coating on wetted parts
PM Monel lining / coating on wetted parts
C1 Accuracy class 1%
TC Material test certificate 3.1
TM Material test certificate 2.2
TO Certification for Oxygen service
T5 Max. Medium temperature +200°C (NOT for ATEX version)
TX ATEX certificate
XB Accuracy CL 1.0
XF SS tag plate
XH Flushing plug on lower body
XR Custom designed dial
XT Dial tag marking

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93